Slaley, Healey 8	& Hexhamshire Comn	nunity Enviro	nment Gro	oup - RISK ASSESSME	NT.
Project Ref.		Version:	1	Date of Issue:	
Project Location			1	1	
Project Description					
Description of Activity					
Date of Activity					
1. Project summary: ??					
Delegate	t and Emergency: es who have the North Emergency First Aid b			rgency First Aid Trainin	g will provide
In case of	of emergency 999 /11	2 will be diall	led and the	e appropriate service re	quested.
The nearest "walk-in" Accident and Emergency Hospital to site is:					
Hexham General 0844 811 8111	al Hospital, Corbridge	Road, Hexh	am, North	umberland, NE46 1QJ,	
	nearest Accident and	Emergency	Hospital to	site is:	
Northumbria Specialist Emergency Care Hospital, Northumbria Way, Cramlington. NE23 6NZ. 0344 8118111					
3. Personn	el:				
???????will co	o-ordinate the event, h	nowever there	e shall be l	Marshalls throughout th	e event.
4. Site Acc Individua		ded on the ro	oute map a	nd any restrictions will I	be highlighted.
5. Activity	Area				
	n hazard will be trippi und the sites.	ng on unever	n surfaces	or slipping on wet surfa	ices as visitors

Walking beneath trees in very strong winds or thunder storms may become potentially

hazardous; should it be thought that branches may fall from trees then access to such areas will be suspended. The contingency plan of keeping well away from trees should the weather be considered dangerous is in place.

## 6. **Lighting**:

Natural light will be available throughout the activity

# 7. Fire precautions:

Smoking will not be permitted on site.

Fire extinguisher at

Escape routes and assembly points will be identified to visitors on arrival

### 8. Hot Food & Drinks

It is hoped that the local Inns will provide necessary food and drink

#### 9 Noise

There will be limited noise associated with the event.

### 10. Welfare facilities:

Welfare facilities will be identified

# 11. Personal Protective Equipment:

It is recommended that visitors wear appropriate clothing and appropriate footwear for the event.

#### 12. First Aid:

There is a First Aid kit at all event.

**Our** approved First Aid Members will provide a list of their mobile telephone numbers and is attached to this Risk Assessment

## 13. Slips/Trips/Falls:

There is always the possibility of slips, trips and falls on any activity. These can best be avoided if the following are adhered to:

- 21.1 Check topography for obvious hidden hazards,
- 21.2 Keep a tidy site,
- 21.3 Remove all trip hazards and substances e.g. ice, oil, diesel, water. Rope-off areas where the public are not allowed.
- 21.4 Ensure the correct footwear is worn,
- 21.5 Mark any non-removable hazards.
- 21.6 Secure loose cables,
- 21.7 Ensure sharp objects are covered to prevent anyone impaling themselves,
- 21.8 Avoid unstable areas if possible,
- 21.9 Ensure visitors do not wander from site.

### 14. Weils Disease:

This can be transmitted via rat's urine in standing water. This can be an issue in a woodland setting and members of CEG are aware of the possibility.

Appropriate precautions include avoiding touching the water in any pond or standing in running water where rats may be active.

## 15. Contacts For Advice & Guidance:

Marshalls on the Day and their mobile telephone number are attached to this Risk Assessment.

# Authorisation, Communication, Reporting and Recording Requirements:

Any health and safety issues that arise during the event should be addressed to Patricia Wilson, Clerk to Slaley Parish Council, Lawn House, Slaley, Hexham. NE47 0AS in the first instance. Reporting of accidents should be undertaken in line with statutory requirements and standard procedures, as contained in the Slaley Parish Council "Special Event" Insurance Policy.

Car parking will be controlled to ensure safety of participants, access to site etc. Parking restrictions,
Safe collection and disposal of rubbish
Concern over Bites and strings from animals, insects or plants is left up to individuals to take the relevant action.
Parents or grandparents will remain responsible for their children at All Times